



TEXAS INSTRUMENTS HOME COMPUTER

JAWBREAKER II[®]

ARCADE ENTERTAINMENT

SOLID STATE CARTRIDGE

The game can be played using the optional Wired Remote Controllers—sold separately.

Evade the relentless Grinning Gobblers as they chase you through a maze of shifting walls and escape routes. Try to reach an Energizer and gain invincible power.



Sierra
ON-LINE[™]

Jawbreaker II[®]

Programmed by: Sierra On-Line Inc.
Cartridge conversion by:
John M. Phillips

Book developed and written by:
Staff members of Texas Instruments
Instructional Communications.

Copyright © 1983 by Texas Instruments
Incorporated. Solid State Cartridge
program and data base contents
Copyright © 1983 by Sierra On-Line Inc.

Jawbreaker II is a registered
trademark of Sierra On-Line Inc.

See important warranty information at
back of book.

Introduction

Jawbreaker is a thrilling one-player game of narrow escapes and sudden danger. You control the Jawbreaker, a powerful set of teeth, and race through a maze of shifting walls and doors. Your score climbs as you clear each screen by devouring Dots and Special Treats. A toothbrush cleans your teeth to get you ready for more

action. Avoid the Grinning Gobblers as they come at you from either side. Eating Energizers gives you the power to chase and destroy the Gobblers. Watch out—your power is only temporary. Soon the Grinning Gobblers will turn and attack!

With Jawbreaker, you can:


- Play any one of five increasingly difficult levels of the game
- Use Wired Remote Controllers (joysticks) or keyboard control
- With keyboard control, use preset keys or select your own keys to play the game
- Enjoy sound effects that enliven the action

Using the Solid State Cartridge


Inserting Solid State Cartridges is easy. If you have any problem inserting the cartridge, or if it is accidentally removed from the slot while in use, please see the "In Case of Difficulty" section in this booklet.

Inserting the Cartridge

1. If you have been programming in BASIC, save your data before inserting a cartridge. When you insert a cartridge into the console, the computer automatically erases all data or program material you have entered and returns to the master title screen to begin the new program.
2. Be sure the cartridge is free of static electricity before inserting it into the computer (see the "Maintenance and Service" section in this booklet).
3. Turn the computer ON, and wait for the master title screen to appear.



4. Slide the cartridge into the slot on the console.



5. Press any key to make the master selection list appear. Then, press the appropriate number key for your selection.

Removing the Cartridge

1. To remove the cartridge at the end of play, press **QUIT** to return to the master title screen.
2. Remove the cartridge from the slot.

When the Jawbreaker title screen appears, press any key to begin. First, select the way you want to move the Jawbreaker, using the Wired Remote Controllers (joysticks), default (preset) keys, or personally selected keys. Then,

select your level of play. Once you select the level of play, the game begins.

To Control the Jawbreaker

When the "Select Input" screen appears, you see these choices:

1. JOYSTICKS—DEFAULT KEYS
2. CHOOSE YOUR OWN KEYS A-Z

Your choice determines the way you move the Jawbreaker up, down, left, or right on the screen.

To Use the Joysticks

Press **1** to select joystick control. Move the lever in the desired direction. Do not press the **FIRE** button when moving the joystick lever. If you accidentally press the **FIRE** button, release the button to resume joystick movement.

Lever Position	Direction on the screen
Forward (toward the FIRE button)	Up
Backward (away from the FIRE button)	Down
Left	Left
Right	Right

Note: The **ALPHA LOCK** must be in the OFF (up) position when using the Wired Remote Controllers.

To Use the Default Keys

Press **1** to select the default keys. You can use default keys on either the left or right side of the keyboard.

Keys	Direction on the screen
(↑) E (↑) I	Up
(↓) X (↓) M	Down
(←) S (←) J	Left
(→) D (→) K	Right

To Select Your Own Keys

Press **2** to choose your own keys. A list of directions appears on the screen:

UP
DOWN
LEFT
RIGHT

1. Choose your own keys. You can select only letters or the **SPACE BAR**.
(**Note:** **P** is used to pause in the middle of a game and cannot be a direction key.)

2. Press the key you want to use for moving the Jawbreaker up. If you press a letter key, the letter appears next to UP. If you press the **SPACE BAR**, a letter does not appear.

3. One by one, press the keys you want to use for moving the Jawbreaker down, left, and right.

4. This question appears on the screen:

THESE KEYS OK?
Y/N

Press **Y** (Yes) to go to the "Select Level" screen.

Press **N** (No) to select new keys or to choose the joysticks or default keys.

To Make Your Game Selection

You can choose from five levels. They range from Teddy Bear, the slowest level, to Jawbreaker, a level of fast and furious play.

When the Jawbreaker selection list appears, you see these choices:

SELECT LEVEL

1 TEDDY BEAR
2 BON BON
3 GUM DROP
4 FIRE BALL
5 JAWBREAKER

Press the number of the game you wish to play.

To Pause During a Game

When using default keys or joysticks, press **P** or **T**. When using personally selected keys, press **P**. Press any key to resume the game.

Playing the Game

Move the Jawbreaker to consume as many Dots and Special Treats as possible while avoiding the Grinning Gobblers. Or, consume an Energizer and gain the power to devour the Grinning Gobblers. Escape or pursue the Grinning Gobblers by passing

through the moving doors. Watch your score mount at the bottom of the screen.

Jawbreakers

Place

- Begin moving from the center of the screen
- One in play and three to spare (**Note:** Number to spare appears on screen when you lose a Jawbreaker or begin a new screen.)

Power

- Can escape or pursue through doors
- Cannot leave the screen
- Can devour Dots, Special Treats, and Energizers
- Can gain power from Energizers to attack Grinning Gobblers

Play

- Avoid Grinning Gobblers
- Devour Dots, Special Treats, and Energizers for points
- Eat Energizers to attack Grinning Gobblers

Dots . . .

Place

- Along all rows

Power

- Add points when eaten by Jawbreaker

Play

- Vanish if Jawbreaker eats them

Grinning Gobblers

Place

- Begin moving from left or right
- Four on separate rows

Power

- Move on and off screen
- Cannot pass through a door
- Chase and devour Jawbreaker in the same row
- Change and become more aggressive as you score more points

Play

- Pursue Jawbreaker in same row
- Flee from energized Jawbreaker in same row
- Change to ghosts when eaten by Jawbreaker
- Return to original color and shape after Energizer wears off
- Chase Jawbreaker when Energizer wears off

Energizers ● ● ●

Place

- Flash in each corner
- Four with each new screen


Power

- Give temporary power to Jawbreaker

Play

- Vanish when eaten
- Turn Grinning Gobblers blue (**Note:** Flashing colors signal end of power is near.)

Special Treats



Place

- Appear at center of screen

Power

- Add points when eaten by Jawbreaker

Play

- Appear in order of point value—Candy Cane, Lollipop, Melon Slice, and Candy Mountain
- Stay on screen briefly
- Vanish if a Grinning Gobbler passes over them

If the Jawbreaker successfully eats all Dots and Energizers, the game action stops. A Toothbrush appears and brushes the teeth of the Jawbreaker. You begin with a new screen.

Point Values and Bonuses

Dot	5
-----	---

Energizer	20
-----------	----

Candy Cane	200
------------	-----

Lollipop	400
----------	-----

Melon Slice	600
-------------	-----

Candy Mountain	800
----------------	-----

Grinning Gobblers

First	100
Second	200
Third	400
Fourth	800

Bonus

A new Jawbreaker is earned for each 10,000 points scored (**Note:** You can have only five Jawbreakers to spare.)

Getting Ready for More Action

Strategies help you become a stronger player. As you become more experienced, you may wish to play at more advanced levels that will challenge your new skills. Watch your playing ability improve with each successful game.

Strategy

Attack Grinning Gobblers through a door directly above or below them.

Move with caution when the Grinning Gobblers begin to flash their usual colors.

Devour all the Energizers before eating all the Dots.

Attack four Gobblers each time your Jawbreaker is energized to gain the most points.

Use the power of an Energizer completely before eating another.

To Play Another Game

A game ends after you lose your last Jawbreaker. You then see this screen:

GAME OVER
PRESS REDO
TO
PLAY AGAIN
PRESS BACK TO
SELECT LEVEL
HIGH SCORE
00026500
SCORE 00015590

- To play using the same options, press **REDO** and begin again.
- To play using different options, press **BACK**. You return to the Jawbreaker title screen and then follow screen directions to select your new options.

Cartridges are durable devices, but they should be handled with the same care you would give any other piece of software media. Information concerning use and service can be found in your User's Reference Guide.

Caring for the Cartridge

Keep the cartridge clean and dry.

Caution: The contents of a cartridge can be damaged by static electricity discharges.

Static electricity buildups are more likely to occur when the humidity of the air is low (during winter and in areas with dry climates). To avoid damaging the cartridge, touch any metal object (a doorknob, a desk lamp, etc.) before handling it.

If static electricity is a problem where you live, you may want to buy a special carpet treatment that reduces static buildup. These preparations are usually available from hardware and office supply dealers.

In Case of Difficulty

If the cartridge programs do not appear to be operating properly, return to the master title screen by pressing **QUIT**. Withdraw the cartridge, align it with the cartridge opening, and carefully reinsert it. Then press any key to make the master selection screen appear. (**Note:** In some instances, it may be necessary to turn the computer off, wait several seconds, and then turn it on again.)

If the cartridge is removed from the slot while the cartridge contents are being used, the computer may behave erratically. To restore the computer to normal operation, turn the computer off and wait a few seconds. Then, reinsert the cartridge and turn the computer on again.

Texas Instruments Incorporated extends this consumer warranty only to the original consumer purchaser.

Warranty Coverage

This warranty covers the electronic and case components of the software cartridge. These components include all semiconductor chips and devices, plastics, boards, wiring and all other hardware contained in this cartridge ("the Hardware"). This limited warranty does not extend to the programs contained in the software cartridge and in the accompanying book materials ("the Programs").

The Hardware is warranted against malfunction due to defective materials or construction. **This warranty is void if the Hardware has been damaged by accident, unreasonable use, neglect, improper service or other causes not arising out of defects in materials or workmanship.**

Warranty Duration

The Hardware is warranted for a period of three months from the date of the original purchase by the consumer.

Warranty Disclaimers

Any implied warranties arising out of this sale, including but not limited to the implied warranties of merchantability and fitness for a particular purpose, are limited in duration to the above three-month period. Texas Instruments shall not

be liable for loss of use of the Hardware or other incidental or consequential costs, expenses, or damages incurred by the consumer or any other user.

Some states do not allow the exclusion or limitation of implied warranties or consequential damages, so the above limitations or exclusions may not apply to you in those states.

Legal Remedies

This warranty gives you specific legal rights, and you may also have other rights that vary from state to state.

Performance by TI Under Warranty

During the above three-month warranty period, defective Hardware will be replaced when it is returned postage prepaid to a Texas Instruments Service Facility listed below. The replacement Hardware will be warranted for three months from date of replacement. Other than the postage requirement, no charge will be made for replacement.

TI strongly recommends that you insure the Hardware for value prior to mailing.

U.S. Residents:

Texas Instruments Service Facility
P.O. Box 2500
Lubbock, Texas 79408

Canadian Residents:

Texas Instruments Consumer Service
41 Shelley Road
Richmond Hill, Ontario, Canada
L4C5G4

Consumers in California and Oregon
may contact the following Texas
Instruments offices for additional
assistance or information.

Texas Instruments Consumer Service
831 South Douglas Street
El Segundo, California 90245
(213) 973-1803

Texas Instruments Consumer Service
6700 Southwest 105th
Kristin Square, Suite 110
Beaverton, Oregon 97005
(503) 643-6758

Important Notice of Disclaimer Regarding the Programs

The following should be read and
understood before purchasing and/or
using the software cartridge.

TI does not warrant that the Programs
will be free from error or will meet the

specific requirements of the consumer.
The consumer assumes complete
responsibility for any decision made or
actions taken based on information
obtained using the Programs. Any
statements made concerning the utility
of the Programs are not to be construed
as express or implied warranties.

**Texas Instruments makes no
warranty, either express or implied,
including but not limited to any
implied warranties of
merchantability and fitness for a
particular purpose, regarding the
programs and makes all programs
available solely on an "as is" basis.
In no event shall Texas Instruments
be liable to anyone for special,
collateral, incidental, or
consequential damages in connection
with or arising out of the purchase or
use of the programs and the sole and
exclusive liability of Texas
Instruments, regardless of the form
of action, shall not exceed the
purchase price of the software
cartridge. Moreover, Texas
Instruments shall not be liable for
any claim of any kind whatsoever by
any other party against the user of
the programs.**

Some states do not allow the exclusion
or limitation of implied warranties or
consequential damages, so the above
limitations or exclusions may not apply
to you in those states.

Quick Reference Guide

TI-99/4A

(←) S Controls the movement of
(→) D the Jawbreaker from the
(↑) E left side of the keyboard.
(↓) X

(←) J Controls the movement of
(→) K the Jawbreaker from the
(↑) I right side of the
(↓) M keyboard.

P or T Stops the game temporarily.

FCTN 8 or 8 Press and hold to start a
(REDO) new game when **REDO**
appears on the screen.

FCTN 9 or 9 Press and hold to return
(BACK) to the Jawbreaker
selection list when **BACK**
appears on the screen.

FCTN = Returns to the master title
(QUIT) screen.

For rapid play, Jawbreaker allows you to press the number key without the **FCTN** key for **REDO** and **BACK**.

If the optional Wired Remote Controllers (joysticks) are used, four directions are available to maneuver the Jawbreaker; move the lever in the desired direction.

The **ALPHA LOCK** must be in the OFF (up) position when using the Wired Remote Controllers.

Texas Instruments invented the integrated circuit,
the microprocessor, and the microcomputer.
Being first is our tradition.



TEXAS INSTRUMENTS
INCORPORATED
DALLAS, TEXAS